



A completely new direction



Skipper™ 12 Wolfe Close,
Parkgate Industrial Estate, Knutsford,
Cheshire, United Kingdom. WA16 8XJ

Web: www.skipper™.co.uk

Tel: +44 (0) 844 412 7757
Fax: +44 (0) 844 412 7758
Email: sales@skipper™.co.uk

Skipper™
The total safety management solution

Skipper™
The total safety management solution

The road ahead is clear...



Skipper really is the total safety management solution. With an ever expanding range of integrated solutions, our aim is to be recognised as the industry leader in safety management. Its range of applications make it perfect for so many sectors, including traffic management, construction and facilities management.

Our innovative approach to customers' problems allows us to continually develop the range, while bringing to market award winning concepts and designs.

It's clear to see why globally, Skipper is light years ahead.



Skipper™
The total safety management solution

0 to 9 metres in 2.6 seconds



Skipper. The key to a complete barrier system

Skipper is the unique way to cordon off any area, creating safer environments with high visibility retractable 9m (30ft) tape. Skipper clicks on top of all traffic cones or its own unique post & base system. Skipper saves you time, storage space and money, paying for itself in months over throw-a-way barrier tape.

Skipper versatile safety barrier			
Height 240mm 9.4"	Width 145mm 5.7"	Depth 145mm 5.7"	Weight 795g 28oz




Simply pull the tape out of the Skipper unit to connect to another point.

Flash cordon
A multifunctional rechargeable safety light

This environmentally friendly road light is a multifunctional LED safety light that is fully rechargeable. With permanent or flashing facility, it also includes a light sensor for automatic activation which can be deactivated. Conforms to BS3143 part 2 1990.

Skipper rechargeable safety light			
Height 122mm 4.8"	Width 140mm 5.5"	Depth 140mm 5.5"	Weight 360g 12.7oz



With US, European and UK rates of flash.



A traffic cone with a twist

The revolutionary cone that outperforms its competitors in all areas

The Skipper road cone is a revolutionary two-piece cone that outperforms its competitors in all areas. The patent protected design features an incorporated helix, which deflects wind away and adds to its stability. The base is designed to facilitate an optional weight ring, providing even more ballast and reducing the need to double stack.

Its innovative glass bead sleeve has greater reflectivity than prismatic alternatives and is robust and durable, like the whole Skipper range. This makes it perfect for all applications, from traffic to industrial and commercial. Conforms to BS EN 13422.

Skipper road cone			
Height 750mm 29.5"	Width 555mm 21.9"	Depth 555mm 21.9"	Weight 5.4kg 12lbs




The Skipper cone's helix design greatly improves on wind deflection compared to standard road cones. This means greater stability in challenging environments.



The Skipper cone's light reflectivity is twice as strong as a standard cone.

For extra stability attach the optional weight ring to the base of the cone.



Skipper. The first and last past the post


The versatile alternative to a cone



The Skipper post is the amazing system for the successful Skipper product line. Its great versatility allows it to be used on both hard and soft ground, indoors and outdoors.

The unique, interchangeable base allows the post to be sunk into the ground with a spike or attached to its sturdy base for use on hard surfaces. Simply pour water or sand into the base for extra strength and stability.

Skipper interchangeable post & base system			
Height 1m 39.4"	Width 500mm 19.7"	Depth 500mm 19.7"	Weight 2.3kg 5.1lbs



Use the standard base or the optional spike base for use on soft ground.

Direct and to the point

The perfect solution for warnings, promotions & messages



This A4 sign holder is designed for use with the Skipper unit. Its functional design makes it a great complement to the Skipper product range and allows you to easily display warnings, promotional messages and directions. Simply insert your A4 message into the polycarbonate sleeve, and slide into the robust u-shaped frame.

Skipper A4 sign holder			
Height 348mm 13.7"	Width 266mm 10.5"	Depth 28mm 1.1"	Weight 480g 16.9oz



The sign holder comes with its own top cap which simply replaces your current Skipper top cap and clicks into place.



The Skipper supporting acts

Wall and magnetic support brackets

The wall and magnetic support brackets hold the Skipper unit in place without the need for a cone or post. They can be used to connect to either magnetic surfaces such as metal shelving and vehicles (magnetic version), or screw into position for a more permanent fixture (wall version).

Skipper wall & magnetic support brackets			
Height 168mm 6.6"	Width 124mm 4.9"	Depth 130mm 5.1"	Weight 170g/275g 6oz/9.7oz



And for the tape - wall and magnetic receiver clips

A compact and easy to use clip for any application



The Skipper receiver clips are for walls or alternatively magnetic for vehicles. They allow the tape end to attach direct without the need for a Skipper unit or cone.

Simply screw the receiver clip into the desired position (wall version) or attach to a magnetic surface (magnetic version). Then simply click in the Skipper tape end clip.

Skipper wall & magnetic receiver clips			
Height 100mm 3.9"	Width 80mm 3.1"	Depth 23mm 0.9"	Weight 45g/60g 1.6oz/2.1oz



Skipper **XS**. Keeping internal environments safe

Skipper - but designed for use without a cone or post



The Skipper XS unit has all the great versatility of a standard unit but is for use without cones or posts. Just like the standard Skipper unit, Skipper XS has the full 9 metres (30ft) of retractable tape.

Instead of receiver points, Skipper XS has new connector points for affixing to its own unique range of accessories. This makes it quick and easy to create cordons in any interior environment.

Skipper versatile barrier XS			
Height 126mm 5"	Width 145mm 5.7"	Depth 145mm 5.7"	Weight 700g 24.7oz



Skipper XS suction pad holder/receiver

Easily connect to high gloss surfaces & glass

The suction pad holder/receiver is designed for use with the Skipper XS unit (although it can be used as a standard tape receiver).

It can connect to high gloss surfaces and glass. The suction pad can then either hold the Skipper XS unit in place or be used to receive the tape end clip.

Skipper suction pad holder/receiver			
Height 45mm 1.8"	Width 78mm 3.1"	Depth 117mm 4.6"	Weight 65g 2.3oz



Skipper XS magnetic & cord strap holder/receiver

A receiver clip with added versatility

The cord & magnetic receiver is designed for use with the Skipper XS (although it can be used as a standard tape receiver). As well as being able to attach to magnetic surfaces, it can also be tied to pillars using the provided 'tourniquet' cord. Once in place the receiver can then either hold the Skipper XS unit in place or be used to receive the tape end clip.

Skipper cord and magnetic holder/receiver			
Height 105mm 4.1"	Width 131mm 5.2"	Depth 19mm 0.7"	Weight 100g 3.5oz



Skipper XS clamp holder/receiver

Robust connectivity from any angle

The clamp holder/receiver is used to attach the Skipper XS unit and/or tape end to angular surfaces such as door frames, work surfaces and racking. Simply position the clamp in place and turn the screw to tighten.

The clamp holder/receiver can be positioned either horizontally or vertically depending on the desired application.

Skipper clamp holder/receiver			
Height 223mm 8.8"	Width 140mm 5.5"	Depth 103mm 4.1"	Weight 205g 7.2oz



Skipper. The total safety management solution

The full product guide:



Skipper unit

Skipper is the unique way to cordon off any area, creating safer environments with high visibility retractable 9m (30ft) tape.

Skipper versatile safety barrier			
Height 240mm 9.4"	Width 145mm 5.7"	Depth 145mm 5.7"	Weight 795g 28oz



Skipper XS unit

Designed for internal use, the Skipper XS unit has all the great versatility of the standard Skipper unit but is for use without cones or posts. Skipper XS also has the full 9 metres (30ft) of retractable tape.

Skipper versatile barrier XS			
Height 126mm 5"	Width 145mm 5.7"	Depth 145mm 5.7"	Weight 700g 24.7oz



Skipper XS clamp holder/receiver

This clamp holder/receiver is used to attach the Skipper XS unit and/or tape end to angular surfaces such as door frames, work surfaces and racking. It can be used in both horizontal and vertical positions.

Skipper clamp holder/receiver			
Height 223mm 8.8"	Width 140mm 5.5"	Depth 103mm 4.1"	Weight 205g 7.2oz



Rechargeable safety light

This environmentally friendly road light is a multifunctional LED warning light that is fully rechargeable. Also includes a light sensor for automatic activation. Conforms to BS3143 part 2 1990.

Skipper rechargeable safety light			
Height 122mm 4.8"	Width 140mm 5.5"	Depth 140mm 5.5"	Weight 360g 12.7oz



Skipper XS magnetic & cord strap holder/receiver

As well as being able to attach to magnetic surfaces, this clip can also be tied to pillars using the provided ‘tourniquet’ cord. It can hold the Skipper XS in place and receive the tape end.

Skipper cord and magnetic holder/receiver			
Height 105mm 4.1"	Width 131mm 5.2"	Depth 19mm 0.7"	Weight 100g 3.5oz



Wall & magnetic support brackets

The wall and magnetic support brackets hold the Skipper unit in place without the need for a cone or post. Use to attach Skipper units to vehicles (magnetic version) or screw to walls for a more permanent fixture (wall version).

Skipper wall & magnetic support brackets			
Height 168mm 6.6"	Width 124mm 4.9"	Depth 130mm 5.1"	Weight 170g/275g 6oz/9.7oz



Skipper XS suction pad holder/receiver

The suction pad enables you to connect to high gloss surfaces and glass. It can hold the Skipper XS in place and receive the tape end.

Skipper suction pad holder/receiver			
Height 45mm 1.8"	Width 78mm 3.1"	Depth 117mm 4.6"	Weight 65g 2.3oz



Wall & magnetic receiver clips

Receiver clips allow the tape end to attach direct without the need for a Skipper unit or cone. Simply screw into the desired position (wall version) or attach to a magnetic surface (magnetic version).

Skipper wall & magnetic receiver clips			
Height 100mm 3.9"	Width 80mm 3.1"	Depth 23mm 0.9"	Weight 45g/60g 1.6oz/2.1oz



Skipper road cone

The Skipper road cone’s incorporated helix deflects wind away and adds to its stability. It has twice the reflectivity of a standard road cone and can be used with an optional weight ring to add more stability. Conforms to BS EN 13422.

Skipper road cone			
Height 750mm 29.5"	Width 555mm 21.9"	Depth 555mm 21.9"	Weight 5.4kg 12lbs



A4 sign holder

The A4 sign holder’s functional design makes it a great complement to the Skipper product range. Simply insert your A4 message into the polycarbonate sleeve, and slide into the robust u-shaped frame.

Skipper A4 sign holder			
Height 348mm 13.7"	Width 266mm 10.5"	Depth 28mm 1.1"	Weight 480g 16.9oz



Skipper post & base system

The Skipper post & base system is a great alternative to a cone and can be used on both hard and soft ground thanks to its interchangeable base.

Skipper interchangeable post & base system			
Height 1m 39.4"	Width 500mm 19.7"	Depth 500mm 19.7"	Weight 2.3kg 5.1lbs