

A man with a beard and mustache, wearing Riley safety glasses and a grey jacket, stands in front of a construction site. The background shows rebar structures and a cloudy sky. The Riley logo is at the top.

RILEY®

FEARLESS INNOVATION

**INDUSTRY LEADERS IN
PERFORMANCE SAFETY EYEWEAR**

INNOVATION / PERFORMANCE / PROTECTION

INTRODUCING THE EYEWEAR SOLUTION

Riley is an innovative eyewear solution incorporating advanced safety eyewear and VDU spectacles along with advanced prescription services.



INNOVATION

Product Design
Lens Technology

PERFORMANCE

Fit
PPE Compatibility
Comfort

PROTECTION

Certification
Premium Quality
Optical Clarity

“Driven by a pursuit of fearless innovation and years of extensive research, our stylish eyewear is crafted to give you the confidence to accomplish anything. The inspiration for the brand combines a relentless desire for product innovation and a crazy obsession for adventure, exploring situations that push priorities and protection to the limits.”

Our award-winning in-house team comprises of Product Designers, Development Engineers, Safety Specialists, and Sports Scientists. We create eyewear technology solutions for a variety of industrial applications along with sport, work and leisure.

We interweave cutting-edge lens technology with sculpted designer frames that deliver ultimate comfort.



Watch the Video:



THE IMPORTANCE OF WEARING THE **CORRECT** **EYE PROTECTION**

Eye injuries can occur in many settings, but in working environments that have a high risk of flying particles, scratches, abrasions and foreign bodies entering the eye, ensuring the health and safety of employees' eyes during working hours is of paramount importance.

Of the reported non-fatal injuries to employees during the period 2018-2019, 5,910 head injuries due to work last year 814 were related specifically to the eye*.

Something as fundamental as the correct eye protection could have lessened the severity, or have prevented up to 90% of eye injuries.

HAZARD ANALYSIS

Anyone responsible for worker safety should carry out a detailed survey of the workplace to determine the correct eye protection required for the specific jobs being undertaken and the potential hazards that workers face.

Chemicals or foreign objects in the eye and cuts or scrapes on the surface of the eye are common workplace injuries. Other common eye injuries can include splashes and contact with grease and oil, burns from steam, ultraviolet or infrared radiation exposure, and flying wood or metal chips.

Contact Globus Group today for advice and support in carrying out a site survey of your workplace and to discuss your safety eyewear requirements.

T: +44 (0)161 877 4747 • E: info@globusgroup.com

*Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (RIDDOR)

GUIDE TO LENS MARKINGS

Optical Class

1	± 0.06 dioptres	Can be worn at all times
2	± 0.12 dioptres	Should only be worn for occasional use
3	± 0.25 dioptres	Should not be worn for long periods


Please Note: The complete Benchmark range is Optical Class 1

Optional Requirements

K	Resistance to surface damage by fine particles
N	Resistance to lens fogging
T	Extreme temperature of -5°C and +55°C

Filter Type Code

2	UV filter
2C or 3	UV filter with good colour recognition
4	Infrared filter
5	Sunglare filter
6	Sunglare filter with IR specification



Mechanical Resistance

IMPACT LEVEL	MAX. SPEED	EYE PROTECTION TYPE
A (T) High Energy Impact	190 m/s	Faceshields
B (T) Medium Energy Impact	120 m/s	Faceshields and Goggles
F (T) Low Energy Impact	45 m/s	Faceshields/Goggles/Spectacles
S Increased Robustness	5.1 m/s	Spectacles (CR39 lenses)

(T) : The frame/lens has had an additional extreme temperature test at -5°C and +55°C

Welding Filter

1.7	Welding Assistant
3-5	Brace Welding
5-7	Oxy Cutting
7+ Other Welding	Other Welding


GUIDE TO TEMPLE MARKINGS

Fields(s) of use (where applicable)

None	General Use
3	Liquid droplets or splashes
4	Large dust particles < 5 µm
5	Gases and small dust particles < 5 µm
8	Short circuit electric arc
9	Molten metal and hot solids

Mechanical Strength

S	Increased strength
F	Low energy impact, resists a 6mm, 0.86g ball at 45m/s
B	Medium energy impact, resists a 6mm, 0.86g ball at 120m/s
A	High energy impact, resists a 6mm, 0.86g ball at 190m/s




If protection against high-speed particles at extreme temperatures is required then the selected safety eyewear product should be marked with the letter T immediately after the 'Mechanical Strength' letter; eg: FT, BT or AT.

If the 'Mechanical Strength' letter is not followed by the letter T, the safety eyewear product shall only be used against high-speed particles at an ambient temperature.

If the frame and lens display different certification marks (F,B or A), the lowest level should be assigned to the entire safety eyewear product.

LENS COATING TECHNOLOGY



TECTON

DUAL LENS COATING


In the field, all parts of a lens can be subject to the harshest of conditions. That's why Riley TECTON coatings are bonded and cured for the life of the product on BOTH sides of the lenses, giving you excellent resistance to scratching and fogging.

Specifically, the anti-fog performance of the TECTON coating goes far beyond the minimum level necessary to achieve the 'N' standard (EN 166).

ULTRAVIOLET LIGHT

Riley Eyewear with Tecton 400 and ARIDA 400 coatings offer 100% UVA/UVB protection up to 400nm.

This is an additional step that we take above the requirements of the EN166 to ensure wearers eyes are protected.



For further information about Standard EN 166 see [page XX](#)

TECTON 400


ANTI-SCRATCH, ANTI-FOG, UV400 PROTECTION AND MOISTURE REPELLENT

(EN 166: K&N)

Lenses coated with the TECTON 400 coating offers 100% UVA/UVB protection up to 400nm.

This high performance coating still contains the anti-fogging and anti-scratch properties of TECTON and is applied to both sides of the lens.

Ideal for those working outdoors, even in overcast conditions, needing vision clarity and wishing to maximise the lifespan of their safety eyewear.



TECTON


ANTI-SCRATCH AND ANTI-FOG

(EN 166: K&N)

Models with the TECTON coating offer exceptional resistance to fogging as well as excellent scratch and abrasion resistance (EN 166 markings: K and N).

This coating is applied to both sides of the lens and features on the majority of the Riley range as standard.

Ideal for those working indoors needing vision clarity and wishing to maximise the lifespan of their safety eyewear.




ARIDA 400

UV400 PROTECTION AND MOISTURE REPELLENT

(EN 166: K&N)

The ARIDA 400 coating offers 100% UVA/UVB protection up to 400nm. The premium coating is applied both sides lens offering greater resistance to scratch and water vapor. The premium coating is applied both sides lens offering greater resistance to scratch and water vapor.

Ideal for those exposed to changeable environmental conditions, seeking vision clarity.



Look out for these Riley® technology logos throughout the catalogue

LENS TECHNOLOGY

The robust polycarbonate lenses in Riley eyewear provide high performance protection from impacts and deliver perfect optical quality for every wearer in accordance with EN 166.

Each model in the glasses portfolio is available with a variety of lens tint options to allow safe working in a wide array of applications and conditions. Selected models also protect up to 400nm to provide maximum protection from both UVA and UVB light regardless of lens tint, absorbing the lower part of the blue light in the visible spectrum.

VIEW THE INTERACTIVE SIMULATOR



LENS TYPE: CLEAR

VLT: **92% Approx**

Suitable Environment: **Indoor & Outdoor**



Clear lenses provide true colour recognition and are ideal for general purpose indoor and outdoor work in normal to low light conditions.

LENS TYPE: AMBER

Approximate VLT*: **90% Approx**

Suitable Environment: **Indoor & Outdoor**



Amber lenses block blue light to heighten contrast, improve depth perception and provide you with a brighter view in poorly-lit working conditions.

LENS TYPE: BLUE

VLT: **65% Approx**

Suitable Environment: **Indoor & Outdoor**



Blue lenses enhance vision in the presence of excessive sodium vapour or yellow light, commonly emitted by strip lighting. Commonly used indoors but can also be used outdoors as well to improve contrast levels.

LENS TYPE: GREY

VLT: **14% Approx**

Suitable Environment: **Outdoor**



Grey lenses reduce brightness to minimise eye fatigue in moderate to bright environments, making them ideal for daytime wear and outdoor tasks. The dark-tinted lenses decrease glare without distorting colours.

LENS TYPE: INDOOR/OUTDOOR

VLT: **60% Approx**

Suitable Environment: **Indoor & Outdoor**



Indoor/Outdoor lenses provide clarity of vision in both interior and exterior lighting environments making them an ideal choice for transport and logistics workers who can move quickly between the two environments.

LENS TYPE: TWILIGHT

VLT: **55% Approx**

Suitable Environment: **Outdoor**



Improves contrast and colour perception in low light conditions, great for outdoor workers at dusk or dawn. Will also filter out more than 75% of blue light, reducing the stress to the eye.

LENS TYPE: POLARISED

VLT: **10% Approx**

Suitable Environment: **Outdoor**



Polarised lenses sharpen the vision and protect the eyes from harmful rays by filtering out glare from reflective surfaces. This makes them ideal for activities near water.

LENS TYPE: REVO

VLT: **26% Approx**

Suitable Environment: **Outdoor**



Revo lenses have a reflective coating on the surface of the lens and similar to polarisation, they reduce glare. Available in a number of colourways: Fire Revo ●, Ice Revo ● and Antique Revo ●

LENS TYPE: ANTI-REFLECTIVE

VLT: **90% Approx**

Suitable Environment: **Indoor & Outdoor**




This specialised lens is ideal for electronic applications to provide optimum colour perception as well as extremely bright environments. The high performance anti-reflective coating lenses reduce internal lens reflection which enhancing clarity.

LENS TYPE: LED

VLT: **69% Approx**

Suitable Environment: **Indoor**



Designed to improve contrast and reduce stress to the eye. Featuring a soothing light brown tint, this lens is light enough to be worn indoors, while reducing LED glare to keep the eye relaxed and focused.


*Visible light transmission is the approximate amount of visible light that can pass through a lens.

FRAME TECHNOLOGY

Riley eyewear uses leading technology to provide optimum comfort and fit. Premium designs include soft components, providing a secure fit and eliminating wearer discomfort.


Offering optimum comfort and stability, the Riley safety eyewear range uses the latest dual injection moulded technology to ensure frames are effortless to wear.

All eyewear is lightweight and sits comfortable without pressure points, this is due to the soft TPE nose pads and premium dual injected temples.



TempFLEX™

Flexible Thermoplastic Elastomer (TPE) temples provide an exceptional feeling of comfort around the ear whilst gripping securely



Length-Adjustable Temples

A secure fit for every face is achieved by temples that are adjustable to a number of length settings




Aero Temples

Allows increased air flow around the temple area



Dielectric

100% metal free



Inclinable Temples

Riley's inclinable temple mechanism allows the glasses to be adjusted to enhance wearer comfort



Lightweight

Eyewear sits comfortable without pressure points



Soft Temple Ends

Reduces pressure on the temple and leads to higher wearer acceptance




Adjustable Nose Bridge

Adjustable nature allows a secure, anti-slip fit over the nose



Soft Thermoplastic Elastomer (TPE) Nose Bridge

Provides a secure fit whilst retaining high wearer comfort



OTG (Over the glasses)

Ergonomically designed to ensure a safe and comfortable wearing experience over a prescription frame



Inner Seal

A soft seal lining the inside edge of the frame helps resist the penetration of large dust particles



Soft Brow Pad

Soft brow pad for greater protection against dust and droplets

The new and exclusive Cypher is a sleek 8 base frame with soft co-injected temples for maximum comfort. A truly innovative design offering maximum protection and functionality to the wearer.




KEY FEATURES

- + Sports style 8 Base lens
- + Soft, adjustable anti-slip nose bridge
- + Co-injected bi-colour temples with flexible TPE ends enhance overall fit and comfort
- + Supplied with a microfibre storage pouch
- + Unique aero-slotted side arms
- + Also available in prescription p40

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○ RLY00500	2C-1.2 1FTKN / Z87+ U6	EN166 FT Z87+	Impacts, UV radiations	TECTON 400 K&N Anti-scratch + Anti-fog / UV400 / Moisture repellent
GREY	● RLY00501	5-2.5 1FTKN / Z87+ U6 L2.5		Impacts, UV and Solar radiations	
BLUE	● RLY00502	2C-1.4 1FTKN / Z87+ U6 S		Impacts, UV radiations	
TWILIGHT	● RLY00503	5-1.7 1FT / Z87+ U6 S		Impacts, UV radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
REVO	● RLY00504	5-2.5 11FT / Z87+ U6 L2.5		Impacts, UV radiations	
POLARISED	● RLY00505	5-3.1 1FT / Z87+ U6 L3		Impacts, UV and Solar radiations	

Super lightweight Ligera™ combines maximum wearer fit and comfort with a sleek sports design. With it's high impact resistance, UV400 anti-scratch and anti-fog coatings inside and out, Ligera™ withstands exposure to a host of typical worker environment conditions. It's full wraparound protection provides the wearer with optimum eye protection and vision.



KEY FEATURES


- + Super lightweight 16.5g
- + Sleek sports design – 10 base curve & integral nose piece
- + Dual moulded temples with TPE temple ends for maximum fit and comfort
- + Anti-Scratch and Anti-fog dual coated UV400 Lenses
- + Panoramic lenses offer full wraparound protection and optimum vision
- + High-impact resistance under extremes of temperature (-5-55°C)

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○ RLY00490	2C-1.2 1FT / Z87+ U6 S/IO 0	EN 166 FT / Z87+ / AS/NZS 1337.1 Lic. SMK40933	Impacts, UV radiations	ARIDIA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
GREY	● RLY00491	5-2.5 1FT Z87+U6 S L2.5 / I 2		Impacts, UV and Solar radiations	
BLUE	● RLY00493	2C-1.4 1FT Z87+U6 S / I 1		Impacts, UV radiations	

RILEY®

NAVIGATOR™

Innovative yet iconic, the Riley Navigator offers a stylish solution to safety eyewear protection. The unique 4-base curve design combines classic contemporary sunglass styling with full safety features, allowing workers to experience retail design with protection in the workplace.



KEY FEATURES

- + Iconic fashion design
- + 4 base curve lens
- + Dual injected temples with soft tips
- + Available in 6 lens options including 3 revo coloured options
- + Anti-fog/anti-scratch lens coatings
- + Non-safety sunglasses option also available
- + Supplied in premium box packaging and microfibre pouch
- + Also available in prescription p41

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○ RLY00526	2C-1.2 1FTKN / Z87+U6 S / IO 0	EN 166 F / Z87+ / AS/NZS 1337.1 Lic. SMK41067	Impacts, UV radiations	TECTON 400 K&N Anti-scratch & Anti-fog / UV400 / Moisture repellent
DARK GREY	● RLY00522	5-3.1 1FTKN / Z87+U6 S L3/ I3		Impacts, UV & Solar radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
POLARISED	● RLY00520	5-3.1 1FT / Z87+U6 S L3/ I3			
FIRE REVO	● RLY00527	5-2.5 1FT / Z87+U6 S L2.5 / I 2			
ICE REVO	● RLY00529	5-3.1 1FT / Z87+U6 S L3/ I3			
ANTIQUE REVO	● RLY00525	5-3.1 1FT / Z87+U6 S L3/ I3			

• Product weight 30g

• Base lens 4mm

CASE QTY: 50

RILEY

PERFORMANCE | PROTECTION | LIFESTYLE



EXPERIENCE WORK THROUGH NAVIGATOR



Rubberised soft touch
matte finish



Dual injected temples
with soft tips

4 base curve lens with UV400,
anti-fog/anti-scratch lens coatings

Iconic fashion design with
built in lateral protection

RETAIL PACKAGING



Stream Evo safety glasses provide extreme comfort and 'wearability' with a range of lens options to suit a variety of conditions.



TempFLEX™



SOFT TPE



ADJUSTABLE
NOSE BRIDGE



LIGHTWEIGHT



DIELECTRIC

KEY FEATURES

- + Single wraparound polycarbonate lens
- + Soft, ventilated TempFLEX™ temple tips provide a comfortable, secure fit
- + Slim temples enhance comfort when worn with ear defenders
- + Lateral protection
- + 100% metal free
- + Soft, adjustable, anti-slip nose bridge
- + Supplied with a microfibre storage pouch
- + Stream Evo Accessory Pack available separately. Contains adjustable headband & gasket
- + Also available in a smaller size - see Stream™ Evo Small
- + Also available without plastic packaging - see Stream™ (Evo) Eco



CLEAR



GREY



LED



BLUE



ANTI-REFLECTIVE



AMBER



TWILIGHT



IRG



SHADE 3



SHADE 5

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○	RLY00361 2C-1.2 R 1FTKN CE / Z87+ U6 / IO 0	R EN 166 FT 3 CE / Z87+ / AS/NZS 1337.1 Lic. SMK40933	Impacts, UV radiations	TECTON 400 K&N Anti-scratch & Anti-fog / UV400 / Moisture repellent
GREY	●	RLY00362 5-2.5 R 1FTKN CE / Z87+ U6 L2.5 / I 2		Impacts, UV & Solar radiations	
BLUE	●	RLY00365 2C-1.4 R 1FTKN CE / Z87+ U6 S / I 1		Impacts, UV radiations	
AMBER	●	RLY00371 2-1.2 R 1FTKN CE / Z87+ U6 / IO		Impacts, UV radiations	
LED	●	RLY00369 2C-1.4 R 1FTKN CE / Z87+ U6 L1.3 / I 1		Impacts, UV radiations	
ANTI-REFLECTIVE	○	RLY00363 2C-1.2 R 1FT CE / Z87+ U6 / IO 0		Impacts, UV radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
TWILIGHT	●	RLY00364 5-1.7 R 1FT CE / Z87+ U6 L1.7 / I 1		Impacts, UV radiations	
SHADE 3	●	RLY00375 3 R 1FKN CE / Z87+ W3 / I 3	R EN 166 FT 3 CE / Z87+	Impacts, UV & Infrared radiations	TECTON 400 K&N Anti-scratch & Anti-fog / UV400 / Moisture repellent
IRG	●	RLY00374 4-4 R 1FTKN CE / Z87+ W4			
SHADE 5	●	RLY00376 5 R 1FKN CE / Z87+ W3			
ACCESSORY PACK	RLYA0017	N/A	N/A	N/A	N/A

• Product weight 23g

• Base lens 9.5mm

CASE QTY: 200



STREAM EVO™ LED lens

Designed to improve contrast and reduce stress to the eye, the lens is ideal for indoor LED lit environments such as vehicle manufacture and engineering sectors.

Featuring a soothing light brown tint, the lens offers full clarity with a high visible light transmission percentage.

Stream Evo safety glasses are on-trend, providing extreme all day comfort and 'wearability' - ensuring the Stream Evo remains worn at the times its needed most.

LED Features

- + Light brown tint
- + 44% blue light reduction
- + 69% Visible Light Transmission
- + TECTON 400 Coating provides anti-scratch/anti-fog on both sides of the lens
- + Ideal for working under LED lighting



STREAM EVO™



Look forward to
an **ECO** future, **a step
in the right direction.**



The first to market safety eyewear without single use plastic. Stream Evo™ Eco provides all the protection, comfort and style as the Stream Evo™ but supplied in the microfibre pouch.



KEY FEATURES

- + Single wraparound polycarbonate lens
- + Soft, ventilated TempFLEX™ temple tips provide a comfortable, secure fit
- + Slim temples enhance comfort when worn with ear defenders
- + Lateral protection
- + 100% metal free
- + Soft, adjustable, anti-slip nose bridge
- + Supplied with a microfibre storage pouch
- + No single use packaging, supplied in a microfibre pouch made from 100% recycled material

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○	RLY00370 2C-1.2 \hat{R} 1FT CE / Z87+ U6 / IO 0	\hat{R} EN 166 FT CE / Z87+ / AS/NZS 1337.1 Lic. SMK40933	Impacts, UV radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
GREY	●	RLY00392 5-2.5 \hat{R} 1FT CE / Z87+ U6 L2.5		Impacts, UV & Solar radiations	
BLUE	●	RLY00393 2C-1.4 \hat{R} 1FT CE / Z87+ U6 S / I1		Impacts, UV radiations	
AMBER	●	RLY00391 2-1.2 \hat{R} 1FT CE / Z87+ U6 / IO		Impacts, UV radiations	
LED	●	RLY00390 2C-1.4 \hat{R} 1FT CE / Z87+ U6 L1.3 / I1		Impacts, UV radiations	

RILEY™ STREAM EVO™ SMALL

The Stream Evo™ Small safety glasses offer a wide field of vision with a narrower fit for a smaller head size/shape. As with Stream Evo, this small version provides extreme comfort and 'wearability' with a range of lens options to suit a variety of conditions.



KEY FEATURES

- + Single wraparound polycarbonate lens
- + Soft, ventilated TempFLEX™ temple tips provide a comfortable, secure fit
- + Slim temples enhance comfort when worn with ear defenders
- + Hinge distance: 117mm
- + 100% metal free
- + Soft, adjustable, anti-slip nose bridge
- + Supplied with microfibre pouch and neck cord

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○	RLY00366 2C-1.2 R 1FTKN CE / Z87+ U6	R EN 166 FT 4 CE / Z87+	Impacts, UV radiations	TECTON 400 K&N Anti-scratch & Anti-fog / UV400 / Moisture repellent
GREY	●	RLY00367 5-2.5 R 1FTKN CE / Z87+ U6 L2.5		Impacts, UV & Solar radiations	
BLUE	●	RLY00373 2C-1.4 R 1FTKN CE / Z87+ U6 S		Impacts, UV radiations	
AMBER	●	RLY00368 2-1.2 R 1FTKN CE / Z87+ U6		Impacts, UV radiations	
LED	●	RLY00372 4-4 R 1FTKN CE / Z87+ W4		Impacts, UV radiations	
FOAM INSERT	RLYA0012	N/A	N/A	N/A	N/A

• Product weight 22g

• Base lens 9mm

CASE QTY: 200

A lightweight sports-style safety spectacle featuring an adjustable rubber nose bridge to allow a secure fit for the majority of users. The robust wraparound lens complements the extremely flexible side arms resulting in stylish, metal-free, frameless eyewear with a wide field of vision.



RED FRAME CLEAR



BLUE FRAME CLEAR



GREEN FRAME CLEAR



GREY



AMBER



BLUE



LED



INDOOR/OUTDOOR



TempFLEX™



SOFT TPE
























ADJUSTABLE NOSE BRIDGE



DIELECTRIC

KEY FEATURES

- + Single wraparound polycarbonate lens
- + Soft, adjustable, anti-slip nosebridge
- + Flexible temple tips
- + Co-injected bi-colour thermoplastic rubber temples provide a secure fit
- + Lateral protection
- + Slim temples enhance comfort when worn with ear defenders
- + 100% metal free
- + Supplied with a microfibre storage pouch and neck cord
- + Three colours available - Red, Blue and Green

LENS		FRAME COLOUR	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS	
CLEAR		RED	RLY00201	2C-1.2  1FTKN 	 EN 166 FT  	Impacts, UV radiations	TECTON 400 K&N Anti-Scratch & Anti-fog / UV400 / Moisture Repellent	
		BLUE	RLY00231					
		GREEN	RLY00211					
GREY		RED	RLY00202	5-2.5  1FTKN 				Impacts, UV & Solar radiations
		BLUE	RLY00232					
AMBER		RED	RLY00204	2C-1.2  1FTKN 				Impacts, UV radiations
		BLUE	RLY00234					
BLUE		BLUE	RLY00235	2-1.4  1FTKN 				Impacts, UV radiations
LED		RED	RLY00205	2C-1.4  1FTKN 				Impacts, UV radiations
INDOOR/ OUTDOOR		RED	RLY00203	5-1.7  1FT 		Impacts, UV radiations		ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
		BLUE	RLY00233					
STREAM FOAM INSERT		N/A	RLYA0013	N/A	N/A	N/A	N/A	

• Product weight 23g

• Base lens 9.5mm

CASE QTY: 200

A frameless design provides a sports-style look with enhanced peripheral vision. The soft TPE nose bridge and temple tips ensure enhanced comfort and a secure fit for a wide range of face sizes.



CLEAR



GREY



TempFLEX™



SOFT TPE



ADJUSTABLE
NOSE BRIDGE



DIELECTRIC

KEY FEATURES

- + Slim wraparound style
- + Soft TPE nose piece for enhanced comfort and fit
- + Flexible temple tips
- + 100% metal free
- + Supplied with neck cord

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○ RLY00321	2C-1.2 R 1FT CE / Z87+U6 S / IO 0	R EN 166 FT 2 CE / Z87+ / AS/NZS 1337.1 Lic. BMP694400	Impacts, UV radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
GREY	● RLY00322	5-2.5 R 1FT CE / Z87+ U6 L2.5	R EN 166 FT 2 CE / Z87+	Impacts, UV and Solar radiations	

Manufactured from a robust polycarbonate frame, FRESNA™ safety glasses do not contain any metal parts and so help protect eyes from electric arcs that may form while working on electrical equipment or heavy machinery.



SPORTS
STYLE




DIELECTRIC

KEY FEATURES

- + 100% metal free
- + Wide angle vision
- + Close fitting lateral protection
- + Universal nose bridge
- + Slim temples enhance comfort when worn with ear defenders

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○	RLY00071 2C-1.2 R 1FT CE / Z87+ U6	R EN166 FT 2K CE Z87+	Impacts, UV Radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
AMBER	●	RLY00073 2C-1.2 R 1FTKN CE / Z87+ U6			
GREY	●	RLY00072 5-2.5 R 1FT CE / Z87+ U6 L2.5		Impacts, UV and Solar Radiations	

FABRI™ sports a single-piece frameless design with self-adjusting Tempflex™ temple tips. Exceptional value in a lightweight frame.



KEY FEATURES


- + Single wraparound polycarbonate lens
- + UV400 protection
- + Universal nose bridge
- + Supplied with neck cord
- + Flexible temple tips

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○	RLY00191	2C -1.2 R 1FT CE	Impacts, UV radiations	Anti-scratch
GREY	●	RLY00192	5-2.5 R 1FT CE	Impacts, UV and Solar radiations	

Constructed from an extremely durable and lightweight metallised frame, SISINI™ is an extremely robust and versatile option for the majority of applications requiring safety eyewear.



SPORTS
STYLE



SOFT TEMPLE
ENDS



SOFT PVC



ADJUSTABLE
NOSE BRIDGE

KEY FEATURES

- + Sports style design
- + Dual moulded temples with TPE temple ends for maximum fit and comfort
- + Soft adjustable PVC nose bridge
- + Revo and polarised lens tint options available
- + Supplied with a microfibre storage pouch

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○ RLY00136	2C-1.2 R 1FKN CE	R EN 166 F 2 CE	Impacts, UV Radiations	TECTON 400 K&N Anti-Scratch & Anti-fog / UV400 / Moisture Repellent
AMBER	● RLY00138	2C-1.2 R 1FKN CE		Impacts, UV Radiations	
GREY	● RLY00137	5-2.5 R 1FKN CE		Impacts, UV & Solar Radiations	
REVO	● RLY00139	5-2.5 R 1F CE		Impacts, UV & Solar radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
POLARISED	● RLY00140	5-3.1 R 1F CE		Impacts, UV & Solar Radiations	

RILEY® RILETTO ULTRA-LITE™

Weighing only 20g, RILETTO ULTRA-LITE™ glasses are ideal for comfortable extended wear. Embossed grip zones on the temple tips help keep the glasses securely in place even in the most arduous of conditions.



SPORTS
STYLE



ULTRA
LIGHTWEIGHT

KEY FEATURES

- + Ultra lightweight (20g)
- + Ultra slim temples with 'grip zone' tips enhance excellent universal fit even when wearing ear defenders
- + Integrated universal fit padded nosebridge
- + Fits a wide range of face and head shapes
- + Supplied with a microfibre storage pouch

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○ RLY00341	2C -1.2 R 1FTKN CE IO 0	R EN 166 FT UK CE / AS / NZS 1337.1 Lic. SMK40933	Impacts, UV radiations	TECTON 400 K&N Anti-Scratch & Anti-fog / UV400 / Moisture Repellent
BLUE	● RLY00343	2 -1.4 R 1FTKN CE I 1			
GREY	● RLY00332	5-3.1 R 1FTKN CE L2.5		Impacts, UV and Solar radiations	

• Product weight 20g

• Base lens 9mm

CASE QTY: 200

RILEY® READY READER™

The Riley Ready Reader is a sports style adjustable safety eyewear frame which is available in a range of magnifications from 1.00 to 3.00. The safety eyewear offers a comfortable and secure fit while providing additional magnification.



SPORTS
STYLE



SOFT TEMPLE
ENDS



SOFT TPE



INCLINABLE
TEMPLES

KEY FEATURES

- + Available in 1.00, 1.50, 2.00, 2.50 and 3.00 magnifications
- + Adjustable ratchet to position reading lens
- + Dual-injected temples for enhanced comfort
- + Soft flexible nosebridge for comfortable and secure fit
- + Sports wraparound styling to compliment plano safety eyewear

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
RILEY READY READER 1.00	RLY00510	2C-1.2 R 1FT CE +1.0	R EN 166 FT 4 CE	Impacts, UV radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
RILEY READY READER 1.50	RLY00511	2C-1.2 R 1FT CE +1.5			
RILEY READY READER 2.00	RLY00512	2C-1.2 R 1FT CE +2.0			
RILEY READY READER 2.50	RLY00513	2C-1.2 R 1FT CE +2.5			
RILEY READY READER 3.00	RLY00514	2C-1.2 R 1FT CE +3.0			

CASE QTY: 200

The single wide-vision lens featured in RETNA™ provides the wearer with an exceptional field of vision. Lateral protection and a unique, flexible side arm provide unrivalled levels of comfort and grip.




KEY FEATURES


- + Single wide vision lens gives exceptional field of vision
- + Lateral protection
- + Uniquely flexible side arms
- + Universal polycarbonate nose bridge
- + Supplied with a microfibre storage pouch

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○ RLY00091	2C-1.2 R 1FTKN CE	R EN 166 FT S CE	Impacts, UV Radiations	TECTON 400 K&N Anti-Scratch & Anti-fog / UV400 / Moisture Repellent
AMBER	● RLY00093	2C-1.2 R 1FTKN CE		Impacts, UV Radiations	
GREY	● RLY00092	5-2.5 R 1FTKN CE		Impacts, UV & Solar Radiations	
BLUE	● RLY00095	5-1.7 R 1FTKN CE		Impacts, UV Radiations	
INDOOR / OUTDOOR	● RLY00094	5-1.7 R 1FT CE		Impacts, UV Radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent

A lightweight modern safety spectacle featuring a soft brow-pad to allow greater protection against dust and droplets. The wraparound lens offers a large field of vision with added comfort from the soft injected nose piece and temple.



INCLINABLE
TEMPLES



LENGTH
ADJUSTABLE
TEMPLES



SOFT TPE



SOFT
BROW PAD

KEY FEATURES

- + Single wraparound polycarbonate lens
- + Soft, adjustable anti-slip nose bridge
- + Soft brow-pad further protects eyes against dust and droplets
- + Co-injected bi-colour thermoplastic rubber temple provide a secure fit
- + Multi-functional for a personalised fit: 3-position length adjustable temples and lens inclination adjustment

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○	RLY00481 2C-1.2 R 1FTKN CE / Z87+ U6	R EN166 FT R CE Z87+	Impacts, UV radiations	TECTON 400 K&N Anti-scratch + Anti-fog / UV400 / Moisture repellent
GREY	●	RLY00482 5-2.5 R 1FTKN CE Z87+U6 L2.5		Impacts, UV and Solar radiations	
BLUE	●	RLY00483 2C-1.2 R 1FTKN CE Z87+U6		Impacts, UV radiations	
INDOOR / OUTDOOR	⊙	RLY00484 5-1.7 R 1FT CE Z87+U6 L1.7		Impacts, UV and Solar radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent

Quadro™ offers high level comfort and wide angle vision in a versatile frame. The side arms can easily be removed and replaced with the head strap to provide an enhanced fit in challenging conditions.



INNER SEAL



SOFT TPE



TempFLEX™




Quadro™ available with adjustable head strap

KEY FEATURES

- + Sports style design
- + Single piece panoramic lens
- + Soft comfort TPE inserts on temple ends
- + Washable, soft TPE/foam inner frame seal provides a close, comfortable facial fit
- + Side-arms can be removed and easily replaced by the enclosed head strap
- + Supplied with a microfibre storage pouch
- + Adjustable head strap available

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○ RLY00311	2C -1.2 R 1FTKN CE / Z87+ U6	R EN 166 FT 2 CE / Z87+	Impacts, UV radiations	TECTON 400 K&N Anti-scratch + Anti-fog / UV400 / Moisture repellent
GREY	● RLY00312	5-2.5 R 1FTKN CE / Z87+ U6 L2.5		Impacts, UV and Solar radiations	

The highly flexible ARION™ safety glasses provide extreme levels of wearer comfort. An individual fit can be achieved via the inclinable side-arms and the soft TPE components around the forehead, ears and nose help maximise comfort.



INNER SEAL



INCLINABLE
TEMPLES




TempFLEX™

KEY FEATURES

- + Single wide vision lens
- + Soft TPE padded seal enhances comfort and protection
- + Inclinable temple adjustment allows easy fit onto most faces
- + Co-injected bi-colour temples with flexible TPE ends enhance overall fit and comfort
- + Optional head strap enhances the seal and fit
- + Weight: 35g
- + 9-Base lens

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○ RLY00021	2C -1.2 R 1FTKN CE	R EN 166 FT 2 CE	Impacts, UV radiations	TECTON 400 K&N Anti-scratch + Anti-fog / UV400 / Moisture repellent
GREY	● RLY00022	5-2.5 R 1FTKN CE		Impacts, UV and Solar radiations	
HEAD STRAP	RLY0001	NA	NA	NA	NA

Safety spectacle. Single piece polycarbonate frame suitable for over-spectacle use.



LENGTH
ADJUSTABLE
TEMPLES



INCLINABLE
TEMPLES



OVER
THE GLASSES

KEY FEATURES

- + Can be worn over spectacles
- + Ventilated temple tips and side shields
- + Brow protection
- + Anti-fog lens
- + UV400 protection
- + Ideal to be worn by site visitors

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR ○	RLY00461	2C -1.2 R 1FT CE / Z87+ U6	R EN 166 FT 2 CE / Z87+	Impacts, UV radiations	ARIDA 400 Anti-scratch + Anti-fog / UV400 / Moisture repellent
GREY ●	RLY00462	5-2.5 R 1FT CE Z87+ U6 L2.5		Impacts, UV and Solar radiations	


Compact and lightweight safety goggle offering protection against liquid droplets as well as impacts. The low-profile design enhances the field of vision and a comfortable fit is guaranteed thanks to the fully adjustable head strap.



INNER SEAL



PIVOTABLE STRAP



TPE PADDED FRAME

KEY FEATURES

- + Ultra slim design
- + Soft PVC comfort frame
- + Fully adjustable pivoted head strap
- + High performance TECTON 400 anti-scratch and anti-fog protection

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	○ RLY00161	2C -1.2 R 1BTKN CE / Z87+ U6	R EN 166 3BT CE / Z87+	Impacts, Liquid Droplets	TECTON 400 K&N Anti-scratch + Anti-fog / UV400 / Moisture repellent


The Riley VELIA™ safety goggle has a clear polycarbonate wraparound lens offering 180° field of vision for complete eye protection. The pivoting head strap and soft, padded seal allows for a comfortable fit and an accompanying rubber strap can be used for clean room applications.



INNER SEAL



PIVOTABLE STRAP



TPE PADDED FRAME



OPTIONAL EASY-CHANGE
BUCKLE HEADSTRAP

KEY FEATURES

- + Wide field of vision
- + Padded face seal
- + Strong polycarbonate lens
- + Soft PVC/TPE frame and comfort fit nose bridge
- + Quick release head strap
- + Optional buckle head strap for ease of fitting when wearing a helmet
- + Spare rubber strap for cleanroom use
- + Adjustable, pivoted elasticated head strap
- + Molten metal splash protection
- + Can be worn over a prescription frame
- + RX optical insert available

LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00221	2C -1.2 R 1BT9KN CE Z87+ U6	R EN 166 FT 2 CE / Z87+	Impacts, Liquid Droplets, Molten Metal, Airborne Particles	TECTON 400 K&N Anti-scratch + Anti-fog / UV400 / Moisture repellent
SHADE 3	RLY00222	3.1 R BT9KN CE / Z87+ W3 / I3			
SHADE 5	RLY00223	5.1 R BT9KN CE / Z87+ W3			
BUCKLE HEADSTRAP	RLY0004	NA	NA	NA	NA

• Product weight 84g

• Base lens 6mm

CASE QTY: 100

The REON™ face shield provides the wear with 'Class A' face protection. High energy impact resistance to EN 166 'Level A' means that the face shield protects against impacts up to 190m/s (425mph). REON is also top of the class for comfort and vision clarity.



HIGH IMPACT
ENERGY
RESISTANCE

KEY FEATURES

- + Fitted chinguard
- + Ratchet adjustment allows for a secure fit to a range of head sizes
- + Padded headband for a comfortable fit
- + Adjustable pivot for wearer to select optimum angle
- + Fitted chinguard
- + Simple, cost-efficient visor replacement system
- + Polycarbonate visor includes anti-fog coating
- + Polycarbonate visor has Level A impact resistance – the highest attainable level under EN 166
- + Frameless design for a wide, unrestricted field of vision
- + Protects against splashes of molten metal
- + Welding visor include IR protection

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
POLYCARBONATE & CHINGUARD	RLY00351	2C-1.2 R 1AT 9 CE	NA	Impacts, UV radiations, molten metal splash	Anti-fog
BROWGUARD	RLY00352	NA	R EN 166 39AT		NA
ACETATE VISOR & CHINGUARD	RLY00355	2C-1.2 R 1 FT 3 CE	NA	Impacts, UV radiations, fog	Anti-fog
WELDING SHADE 3 WELDING VISOR & CHIN GUARD	RLY00353	3.1 R B 9 CE	NA	Impacts, UV radiations, molten metal splash, IR, EN 169	Anti-scratch
WELDING SHADE 5 WELDING VISOR & CHINGUARD	RLY00354	5.1 R B 9 CE I 3	NA		

CASE QTY: 200





THE COMPLETE PRESCRIPTION SAFETY EYEWEAR SOLUTION

Riley RX is an innovative eyewear solution incorporating advanced safety eyewear and VDU spectacles along with innovative prescription services.

The Riley Prescription Service is a convenient and efficient way to obtain your teams prescription eyewear.

It is the ideal solution for Health and Safety Managers, HR and Occupational Health to manage the prescription eyewear requirements of the whole business. It is easy to use and provides full tracability.

- + Upload an existing or new prescription in seconds
 - + Receive the chosen glasses in 7-10 days from the Riley UK laboratory
 - + A full transparent tracking service from start to finish
 - + Invoiced by your usual PPE Supplier
-




All our prescription glasses are made in our UK manufacturing facility.

RX CONNECT**EASY. FAST. ACCURATE.**


RX Connect is a unique secure portal to upload prescriptions
and trace your order up until delivery

Watch the Video:

**RX** CONNECT



THERE ARE **3** WAYS TO OBTAIN YOUR
PRESCRIPTION GLASSES EASILY AND QUICKLY



Prescription Eyewear Delivered



ROKKA™



NAVIGATOR™



R104



LIKE NEVER BEFORE

The Riley® performance eyewear range incorporates a full portfolio of Sports, Classic and VDU prescription models, all expertly manufactured and delivered efficiently in the UK.



Wearers get great fitting eyewear which not only protects from hazards, but enables them to wear prescription lenses without having to wear an additional safety goggle over the top.

Four lens options are also available CR39, Trivex, glass and VISION EASE® impact and scratch resistant polycarbonate lenses with a complete range of lens types including single-vision, bifocal and varifocal.

Bifocal and varifocal options are created using state-of-the-art Digital Inner Surface

Technology, which compared to traditional production methods, results in enhanced vision clarity and wearer comfort.

Owning a UK-based manufacturing and service facility means we are in total control of the prescription eyewear process and can ensure your business needs are met fully, quickly and efficiently.

All Riley® RX lenses are expertly manufactured in-house by highly experienced optical technicians in facilities certified to ISO 9001.

Our Safety Prescription Glasses

- + Polycarbonate as standard. Our lenses are 10 times more impact resistant than plastic or glass lenses (EN166 - Grade F)
- + Increased range of +/- 12.00 on R104 & R106 frames. Only available in CR39 & polycarbonate
- + Class 1 optical quality
- + 98% protection from the sun's harmful UV rays

Our VDU (Non-safety) range of eyewear

- + Three lens options available: Single Vision, Bifocal or Varifocal & CR39
- + All manufactured in our award winning UK laboratory

RILEY

CYPHER™

The innovative and stylish Cypher is now available in an RX frame providing a complete solution across plano and prescription. The sleek 9 base frame with soft co-injected temples offers high design, maximum comfort and functionality to the wearer. A first-to-market eyewear solution, with a sports wraparound frame.



SPORTS
STYLE



SOFT ANTI-SLIP
NOSE BRIDGE











AERO
TEMPLES

KEY FEATURES

- + Sports style 9 base frame
- + 6 base curve lens
- + Soft, anti-slip nose bridge
- + Co-injected bi-colour temples with flexible TPE ends enhance overall fit and comfort
- + Unique aero-slotted side arms
- + Also available in plano p12

	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 8.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition


Lens (eyesize)	Nose piece	Temple Length	Lens
56mm	18mm	130mm	Clear

VERSIONS	LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	
GREY FRAME		CLEAR 	RLYRX00500	VL 1F 	 EN 166 FT  Z87	Impacts, UV radiations
CLEAR FRAME		CLEAR 	RLYRX00501	VL 1F 	 EN 166 FT  Z87	Impacts, UV radiations

RILEY®

NAVIGATOR™

The unique 4-base curve design combines classic contemporary sunglass styling with full safety features, allowing workers to experience retail design with protection in the workplace.



SOFT TEMPLE
ENDS



SPORTS
STYLE

KEY FEATURES

- + Iconic fashion design
- + 4 base curve lens
- + Dual injected temples with soft tips
- + Anti-fog/anti-scratch lens coatings
- + Also available in plano p14

	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 8.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Lens (eyesize)	Nose piece	Temple Length	Lens
54mm	18mm	135mm	Clear

VERSIONS	LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
BLACK FRAME	CLEAR	RLYRX00526	VL 1F CE	R EN 166 FT CE	Impacts, UV radiations

RILEY®

ROKKA™

Combining an in-demand lens shape with a contemporary crystal frame and an adjustable nose bridge, Rokka™ matches a personalised fit with uncompromised style.



SPORTS
STYLE



LIGHTWEIGHT



KEY FEATURES

- + Contemporary design
- + Lightweight polycarbonate frame with integral side shields
- + Nylon side arms with soft TPE comfort inserts
- + Soft TPE fitted to brow
- + Adjustable comfort-fit nose bridge

	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 6.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Lens (eyesize)	Nose piece	Temple Length	Lens
59mm	17mm	135mm	Clear

VERSIONS	LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
RED/BLACK FRAME	CLEAR ○	RLY00246	VL 1F CE	R EN 166 FT CE	Impacts, UV radiations
BLUE/BLACK FRAME		RLY00245			
GREEN/BLACK FRAME		RLY00244			
GREY/BLACK FRAME		RLY00247			

RILEY®

SWARM™

Offering a unique wrap around designs with a protective browguard, Swarm is ideal for environments prone to dust or water droplets. Available in two variants, both offer a complete protective browguard with replacement available for the blue waterproof foam option. The soft TPR nose pads and duel injected temples provide premium comfort to the wearer.



SPORTS
STYLE



SOFT TPE



BLUE/BLACK



GREY/BLACK



BLUE/BLACK



GREY/BLACK

KEY FEATURES

- + Stylish sports style frame
- + Integrated deep fit lateral protection
- + Slim fit textured temples
- + Soft TPE nose pads
- + Supplied with a microfibre storage pouch
- + Black/Grey model features inner frame seal
- + Black/Blue model features removable browguard refill packs available

	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 6.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Lens (eyesize)	Nose piece	Temple Length	Lens
59mm	18mm	130mm	Clear

VERSIONS	LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
BLACK/BLUE FRAME	CLEAR	RLYRX00410	VL 1F CE	R EN 166 FT 2 CE	Impacts, UV radiations
BLACK/GREY FRAME	CLEAR	RLYRX00415			Impacts, UV radiations
RILEY RX SWARM BROWGUARD 5 PACK	NA	RLYRXA0042	NA		NA

The sports-style design of Riley SCRIPT™ will appeal to a wide selection of your workforce. SCRIPT™ sits snugly to the side of the face and the protection offered from the deep side arms means no separate side guard is needed for those requiring a prescription lens version.



SPORTS
STYLE



SOFT TPE

KEY FEATURES

- + Stylish sports style frame
- + Integrated deep fit lateral protection
- + Slim fit textured temples
- + Soft TPE nose pads
- + Supplied with a microfibre storage pouch

	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 4.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition


Lens (eyesize)	Nose piece	Temple Length	Lens
60mm	18mm	130mm	Clear

VERSIONS	LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
BLACK FRAME	CLEAR	RLYRX00400	VL 1F	EN 166 FT	Impacts, UV radiations

RILEY®

SIVION™

Manufactured with co-injected, aero vent non-slip temples, SIVION™ safety glasses provide the wearer with enhanced comfort and lateral protection for prolonged wear.



SOFT TEMPLE
ENDS



AERO
TEMPLES

KEY FEATURES

- + Carbon fibre effect
- + Soft, non-slip TPE universal nose bridge
- + Deep fit lateral protection
- + Co-injected temples
- + Aero-slotted side arms
- + Flexible TPE temple tips provide extra grip and comfort

	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 4.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Lens (eyesize)	Nose piece	Temple Length	Lens
60mm	18mm	130mm	Clear

VERSIONS	LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
BLACK FRAME	CLEAR	RLYRX00390	VL 1F CE	EN 166 FT CE	Impacts, UV radiations

RILEY[®] VELIA[™] OPTICAL INSERT

VELIA[™] is a safety goggle featuring an ophthalmic adapter for prescription lenses. The clear polycarbonate wraparound lens offers 180° field of vision. The pivoting head strap and soft, padded seal allows for a comfortable fit.



INNER SEAL

KEY FEATURES

- + Velia is certified to EN 166 349BT for protection from liquid splashes, impacts, molten metal, airborne particles
- + Strong polycarbonate lens with a wide field of vision
- + Padded face seal
- + Indirect ventilation Particles

	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 8.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Lens (eyesize)	Lens
65mm	Clear

VERSIONS	LENS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
WHITE FRAME	CLEAR	RLYA0020	VL 1F	EN 166 349BT / AS/NZS	Impacts, UV radiations

RILEY®

R101

The R101 is a contemporary style safety frame with slim, metal construction finished in shiny anthracite with transparent side shields. Certified to EN166 with a prescription strength up to a combined maximum of +/- 8.00.



	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 8.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Size	Lens (eyesize)	Nose piece	Temple Length
Standard	57mm	16mm	145mm

FRAME COLOUR	REF.	TIP COLOUR	LENS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
SHINY ANTHRACITE ●	RLYRX0001	BLACK ●	CLEAR ○	VL 1F CE	R EN 166 FT CE	Impacts, UV radiations

R102

The R102 is a contemporary style safety frame with slim, metal construction finished in brushed anthracite with transparent side shields. Certified to EN166 with a prescription strength up to a combined maximum of +/- 8.00.



	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 8.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Size	Lens (eyesize)	Nose piece	Temple Length
Standard	54mm	15mm	140mm

FRAME COLOUR	REF.	TIP COLOUR	LENS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
BRUSHED ANTHRACITE ●	RLYRX0002	BLACK ●	CLEAR ○	VL 1F CE	R EN 166 FT CE	Impacts, UV radiations

RILEY®

R103

The R103 is a contemporary style safety frame with slim, metal construction finished in shiny dark navy with transparent side shields. Certified to EN166 with a prescription strength up to a combined maximum of +/- 8.00.



	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 8.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Size	Lens (eyesize)	Nose piece	Temple Length
Standard	55mm	16mm	140mm

FRAME COLOUR	REF.	TIP COLOUR	LENS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
SHINY DARK NAVY	RLYRX0003	BLACK	CLEAR	VL 1F	EN 166 FT	Impacts, UV radiations



RILEY®

R104

The R104 is a contemporary style safety frame with slim, metal construction with transparent side shields. Available in two sizes (Standard and small) and three colours. Certified to EN166 with a prescription strength up to a combined maximum of +/- 12.00.



RLYRX0004 SHINY TEAL (STANDARD)



RLYRX0004 SHINY TEAL (STANDARD)



RLYRX0008 GUNMETAL (STANDARD)



RLYRX0008 GUNMETAL (STANDARD)



RLYRX0009 NAVY (SMALL)

	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 12.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Size	Lens (eyesize)	Nose piece	Temple Length
Standard	52mm	15mm	130mm
Small	48mm		

FRAME COLOUR	REF.	TIP COLOUR	LENS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
SHINY TEAL	RLYRX0004	BLACK ●	CLEAR ○	VL 1F CE	R EN 166 FT 2 CE	Impacts, UV radiations
GUNMETAL	RLYRX0008					
NAVY (SMALL)	RLYRX0009					

RILEY

R105

The R105 is a contemporary style safety frame with slim, metal construction finished in brushed brown with transparent side shields. Available in two sizes (Standard and large). Certified to EN166 with a prescription strength up to a combined maximum of +/- 8.00.



	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 8.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Size	Lens (eyesize)	Nose piece	Temple Length
Standard	55mm	17mm	140mm
large	60mm	18mm	145mm

FRAME COLOUR	REF.	TIP COLOUR	LENS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
BRUSHED BROWN STANDARD	RLYRX0005	BLACK	CLEAR	VL 1F	EN 166 FT	Impacts, UV radiations
BRUSHED BROWN LARGE	RLYRX0010					

R106

The R106 is a contemporary style safety frame with slim, metal construction finished in matt black with transparent side shields. Certified to EN166 with a prescription strength up to a combined maximum of +/- 12.00.



	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 12.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Size	Lens (eyesize)	Nose piece	Temple Length
Standard	55mm	17mm	145mm

FRAME COLOUR	REF.	TIP COLOUR	LENS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
MATT BLACK	RLYRX0006	BLACK	CLEAR	VL 1F	EN 166 FT	Impacts, UV radiations

RILEY®

R107

The R107 is a contemporary style safety frame with slim, metal construction finished in gunmetal with transparent side shields. Certified to EN166 with a prescription strength up to a combined maximum of +/- 8.00.



	Power Range	Lens Options	Additional Coatings
PRESCRIPTION OPTIONS	+/- 8.00	Single Vision	HC
		Bifocal	AR
		Varifocal	Transition

Size	Lens (eyesize)	Nose piece	Temple Length
Standard	56mm	16mm	145mm

FRAME COLOUR	REF.	TIP COLOUR	LENS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST
GUNMETAL	● RLYRX0007	BLACK	● CLEAR ○	VL 1F CE	R EN 166 FT 2 CE	Impacts, UV radiations



VDU COLLECTION

Eleven Visual Display Unit designs are available. All are available with an advanced anti-reflective coating that has been proven to eliminate glare and subsequently reduce eye strain. VDU lenses enhance contrast and detail by up to 20%, further reducing the strain placed on your eyes during the day.



OL001 C1



OL007 C1



OL019 C2



OL004 C1



OL002 C2



OL017 C2



OL013 C2



OL001 C2



OL020 C1



OL020 C2



OL018 C2





LENS CLEANING SOLUTIONS

VIVID ANTI-FOG WIPES

KEY FEATURES

- + Safely & quickly cleans preventing fogging on eyewear lenses, electronic surfaces & other optics
- + Convenient 'ready-to-hang' dispensing solution
- + Anti-static, anti-reflective & anti-bacterial
- + Alcohol & silicone-free
- + Dispenser degradable after use



No.	Unit	Case QTY
RLA0027	X1 Dispenser 200 wipes	20

VIVID MOIST LENS WIPES

KEY FEATURES

- + Convenient 'ready-to-hang' dispensing solution
- + Comprises pre-moistened individually wrapped lens wipes
- + Anti-static, anti-reflective & anti-bacterial
- + Alcohol & silicone-free
- + Dispenser degradable after use



No.	Unit	Case QTY
RLA0005	X1 Dispenser 200 wipes	20
RLA0025	X1 Dispenser 500 wipes	12

VIVID PLASTIC CLEANING STATION SET

KEY FEATURES

- + Refillable dispenser unit
- + Wall mountable
- + Comprises 2 x 250 dry tissues & 500ml cleaning spray



No.	Unit	Case QTY
RLA0018	X1 500ml cleaning spray & X1 box dry tissues	6

VIVID CLEANING STATION

KEY FEATURES

- + Convenient 'ready-to-hang' solution
- + Comprises 250 dry tissues & 500ml cleaning fluid
- + Dispenser degradable after use



No.	Unit	Case QTY
RLA0008	X1 500ml cleaning spray & X1 box dry tissues	6

VIVID CLEANING SPRAY

KEY FEATURES

- + 500ml spray bottle
- + Alcohol & silicone-free
- + Anti-reflective
- + Anti-static



No.	Unit	Case QTY
RLA0006	X1 500ml Cleaning Spray	20

VIVID DRY TISSUES

KEY FEATURES

- + Contains 250 dry cleaning tissues
- + Ideal to use with the Riley® VIVID™ lens cleaning spray



No.	Unit	Case QTY
RLA0006	X1 500ml Cleaning Spray	20

ACCESSORIES

CASES

MICROFIBRE STORAGE POUCH

Order Code: RLYA0002



RILEY RX CASE

Order Code: RLYRX0015



CORDS & STRAPS



PREMIUM NECK CORD

Order Code: RLYA0003



BASIC CORD

Order Code: RLYA0026



ARION HEAD STRAP*

Order Code: RLYA0001

* Strap only. Glasses not supplied



VELIA HEAD STRAP

Order Code: RLYA0004

INSERTS & GASKETS



SWARM BROWGUARD

Order Code: RLYRXA0042



STREAM EVO GASKET & HEAD BAND

Order Code: RLYRXA0017



STREAM EVO FOAM GASKET

Order Code: RLYRA0013



FEARLESS INNOVATION

Contact our UK team

Need more information?

Discuss your requirements with one
of our eyewear specialists.

Our UK team is here to help and advise you.

+44 (0)161 877 4747

www.riley-eyewear.com

info@riley-eyewear.com

INNOVATION / PERFORMANCE / PROTECTION



The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment.
The manufacturer reserves the right to make any modifications it deems necessary at any time.
Riley is a registered trademark. All other registered trademarks are property of their respective owners.

© 2023 Globus (Shetland) Ltd | RLY-CAT-COLLECTION-0823_1